

KRAFTWERK®

FAVORITE TOOLS SINCE 1979



LIGHT COLLECTION

kraftwerktools.com





4

Hand lamps

12

Work lights

17

Mobilio

18

Accessories



Inspection lamps INSPECT

The inspection lamps from the **IN.** series (IN. stands for 'inspection') and the flexible **SLIMFLEX** lamp are suitable for all conceivable inspection tasks. All lamps are outfitted with power-saving and long-lived LED technology.



Art. 32038

LED inspection lamp IN.UV 450, rechargeable

8 powerful SMD LEDs on side and 1 Power LED in lamp head, 4 separate UV LEDs in lamp head, pivots steplessly by 180° on 2 sides, 2 folding hooks which rotate 360°, magnets on rear and in base.

4.5 - 15 h running time
5.5 h charge time
3.7 V / 4000 mAh Li-ion battery
80/450 lumens
6500 kelvin
IP54
IK07
251 x 57 x 40 mm
0.5 kg

Package includes

230 V charger Art. 32070AL

Accessories

Car charging adapter 12 / 24 V Art. 32070DL



Art. 32070

LED inspection lamp IN.SPOT 130, rechargeable

24 side LEDs and 5 additional LEDs in lamp head, pivots/rotates steplessly by 180° on 2 sides, strong magnet built into base, rotating fold-up hook in head.

4.5 - 18 h running time
3 h charge time
3.7 V / 2000 mAh Li-ion battery
90/420 lux (1 m)
30/130 lumens
6000 kelvin
IP20
IK07
360 mm x Ø 40 mm
0.55 kg

Package includes

230 V charger Art. 32070AL

Accessories

Car charging adapter 12 / 24 V Art. 32070DL



Art. 32071

LED inspection lamp IN.VIEW 250, rechargeable

3 W COB LED with additional 1 W SMD LED in lamp head, strong magnet built into base, rotating fold-up hook in head, pivots/rotates steplessly by 180° on 2 sides.

3 - 10 h running time
 3 h charge time
 3.7 V / 2600 mAh Li-ion battery
 115/165 lux (1 m)
 70/250 lumens
 6000 kelvin
 IP20
 IK07
 290 mm, Ø 40 mm
 0.5 kg

Package includes

230 V charger Art. 32070AL

Accessories

Car charging adapter 12 / 24 V Art. 32070DL



Art. 32072

LED inspection lamp IN.VIEW.SLIM 300, rechargeable

Robust, impact-proof design, aluminium head housing, additional SMD LED in lamp head, wide 110° angle beam.

2.5 - 10 h running time
 3 h charge time
 3.7 V/2600 mAh Li-ion battery
 30/120 lux (1 m)
 70/300 lumens
 6000 kelvin
 IP20
 IK07
 358 x 56 x 43 mm
 0.6 kg

Package includes

230 V charger Art. 32070AL

Accessories

Car charging adapter 12 / 24 V Art. 32070DL



Art. 32085

LED inspection lamp SLIMFLEX, rechargeable

Dimmable brightness levels, with magnets in base and rear; when folded up, the lamp also functions as a torch.

3 - 8 h running time
 3 h charge time
 3.7 V/2000 mAh Li-ion battery
 25/105 lux (1 m)
 70/400 lumens
 5700 kelvin
 IP54
 IK07
 302 x 44 x 34 mm
 0.35 kg

Package includes

230 V charger Art. 32070AL

Accessories

Car charging adapter 12 / 24 V Art. 32070DL



Art. 32085D

Display (with 12 pcs of Art. 32085) LED hand lamp SLIMFLEX, rechargeable



LED Handlamp, WI600, wireless rechargeable

Wireless hand lamp with USB type C connection

- 2.5- 5 h operating time
- 4-5 h Charging time
- 6 W COB LED on the front panel
- 1 W SMD LED in lamp head
- Equipped with magnets and hooks
- 3.7 V / 1500 mAh LiPo battery
- 967 - 1120 lux (0.5m)
- 100 - 600 lumen
- 5700 Kelvin
- IP65
- IK08
- 165 x 55 x 45 mm
- 0.09 kg



Available from October 2020

LED Handlamp, WI300, wireless rechargeable

Wireless hand lamp with USB type C connection

- 2.5- 6 h Operating time
- 2.5 - 3.5 h Charging time
- 3 W COB LED on the front panel
- 1 W SMD LED in lamp head
- Equipped with magnets and hooks
- 3.7 V / 2600 mAh Li-Ion battery
- 995-1670 lux (0.5m)
- 100 - 300 lumen
- 5700 Kelvin
- IP65
- IK08
- 115 x 65 x 30 mm
- 0.09 kg



Available from October 2020

Wireless charger and USB type C connector

(LED Handlamp 701.002.000 / 702.000.001)

- 2.5 - 4 h Charging time
- 5V / 1A Input
- 5V / 1A USB Output
- IP65
- IK08
- 178 x 43 x 35 mm
- 0.09 kg



Available from October 2020



Wireless charger and USB type C connector for 2 lamps

(LED Handlamp 701.002.000 / 702.000.001)

- 2.5 - 4 h Charging time
- 5V / 2A Input
- 5V / 1A USB Output
- IP65
- IK08
- 178 x 43 x 35 mm
- 0.09 kg



Available from October 2020



SET offers available (lamps + chargers) - Contact us

Art. 701.010.001
SET 1



Art. 701.010.002
SET 2



Art. 701.010.003
SET 3



Art. 701.000.000

LED inspection lamp COMPACT 500, rechargeable

2 - 10.5 h running time
 3.5 h charge time
 3.2 W COB LED on side
 1.4 W SMD LED in lamp head
 Pivots steplessly by 180° on 2 sides
 With magnet on rear and integrated hook
 2 batteries 3.7 V / 2600 mAh Li-ion
 40 - 750 Lux (1m)
 100 - 500 Lumen
 6000 Kelvin
 IP54
 IK07

Package includes

230 V charger Art. 32070AL

Accessories

Car charging adapter 12 / 24 V
 Art. 32070DL



Art. 701.000.100

Display (with 12 pcs of Art. 701.000.000) LED inspection lamp COMPACT 500, rechargeable



Inspection lamps TUBE

The **TUBE** series inspection lamps embody a traditional and simple design. Minimalist features. But effective at what they do. All lamps are outfitted with power-saving and long-lived LED technology.

Art. 32074

LED inspection lamp TUBE 420

Handheld tube lamp for workshop and inspection settings with 54 SMD LEDs, beam angle 120°, rubberised housing grip.

420 lumens
 IP54
 IK07
 5 m power cable
 Energy class A++
 220-240V - 50/60 Hz
 480mm, Ø 50 mm
 0.65 kg



Art. 32016

LED inspection lamp TUBE.SUB 380, rechargeable

Waterproof and washable workshop inspection lamp with charge indicator and integrated stand.

3.5 h running time
 3.5 h charge time
 3.7 V/4400 mAh Li-ion battery
 225 lux (1 m)
 380 lumens
 IP67
 415 x 57 x 41 mm
 0.7 kg

Package includes

230 V charger Art. 32016AL
 Car charging adapter 12 / 24 V Art. 32016DL



Inspection lamps COMPACT

The inspection lamps from the **COMPACT** series are handy, easily stowable, and ideal for working in tight spaces. All lamps are outfitted with power-saving and long-lived LED technology.



Art. 32068

Inspection lamp with 18+3 LEDs COMPACT MINI 90

18 bright LEDs on side, 3 additional LEDs in lamp head, magnetic base that pivots by 270° on both sides, 2nd magnet on rear.

4 - 20 h running time
100 lux (1 m)
15/90 lumens
IP54
178 x 43 x 35 mm
0.1 kg

Accessories

AAA batteries (3x) Art. 32013

Available as display set of 12, Art. 32068D



Art. 32068D

Display (with 12 pcs of Art. 32068) COMPACT MINI 90



Art. 32069

COB LED inspection lamp COMPACT MINI 180, rechargeable

3 additional LEDs in lamp head, magnetic base that pivots by 270° on both sides, 2nd magnet on rear.

- 2 - 15 h running time
- 2 h charge time
- 3.7 V/800 mAh Li-ion battery
- 110 lux (1 m)
- 15/180 lumens
- IP20
- 178 x 43 x 35 mm
- 0.11 kg

Package includes
USB cable

Accessories
230 V charger Art. 32070AL
Car charging adapter 12 / 24 V Art. 32070DL



Art. 32069D12

Display (with 12 pcs of Art. 32069) COMPACT MINI 180



Art. 701.001.000

LED inspection lamp COMPACT 350, rechargeable

1 additional LED in lamp head, pivots steplessly by 180° on 2 sides, 2 strong built-in magnets on rear and bottom, rotating fold-up hook in head.

- 4 h running time
- 3.5 h charge time
- 3.7 V/2600 mAh Li-ion battery
- 100/600 lumens
- 190 x 56 x 29 mm
- 0.26 kg

Package includes
230 V charger Art. 32070AL

Accessories
Car charging adapter 12 / 24 V Art. 32070DL
Charging station Art. 32032LS



Art. 701.001.100

Display (with 6 pcs of Art. 32032) COMPACT 350



Art. 32075

LED inspection lamp COMPACT 110, rechargeable

With SMD LED, 30° beam angle, with strong magnet on rear, integrated hook.

- 4 - 4.5 h running time
- 3 h charge time
- 3.7 V/1500 mAh Li-ion battery
- 870 lux (0.6 m)
- 110 lumens
- 6500 kelvin
- IP65
- IK07
- 210 x 60 x 40 mm
- 0.16 kg

Package includes
230 V charger Art. 32070AL
Car charging adapter 12 / 24 V Art. 32070DL



Art. 32076

LED inspection lamp COMPACT 230, rechargeable

With COB LED, 110° beam angle, with strong magnet on rear, integrated hook.

- 3 h running time
- 3 h charge time
- 3.7 V/2000 mAh Li-ion battery
- 290 lux (0.6 m)
- 230 lumens
- 6000 kelvin
- IP65
- IK07
- 210 x 60 x 40 mm
- 0.16 kg

Package includes
230 V charger Art. 32070AL
Car charging adapter 12 / 24 V Art. 32070DL



Torches and headlamps

Art. 32050

Aluminium torch with zoom function

With 1 watt LED, zoom function and blink mode, 2 illumination levels.

12 - 24 h running time

70 - 110 lumens

IPX4

Zoom 0 - 5 m

104 x 27 mm, Ø 33.5 mm

0.13 kg

Package includes

AAA batteries (3x) Art. 32013



Art. 32061

High-performance headlamp

Made of aluminium, with 3 watt CREE LED, dimmable, zoom function and blink mode.

Steplessly adjustable illumination angle.

4 - 12 h running time

160 lumens

IP44

45 mm, Ø 40 mm

0.13 kg

Accessories

AAA batteries (3x) Art. 32013



Art. 32054

Aluminium torch, rechargeable

With 6 watt CREE LED, zoom function and 3 illumination functions.

2 - 12 h running time

3.5 - 4 h charge time

3.7 V/2000 mAh Li-ion battery

750 lumens

IP44

160 mm, Ø 42 mm

0.17 kg

Package includes

230 V charger Art. 32054AL



Art. 702.003.000

LED Headlamp H260, rechargeable

With motion sensor, rotatable and detachable lamp, equipped with magnets

2 - 4h Operating time

2.5 h Charging time

Beam angle of 100

360° rotatable

3.7 V / 1400 mAh Li-Po battery

80/120 lux (1 m)

150/260 lumen

6400 Kelvin

IP44

80 x 55 x 45 mm

0.1 kg



Art. 702.003.100

Display (with 9 pcs of Art. 702.003.000) LED Headlamp H260, rechargeable



PENLIGHT

PENLIGHTs are the ideal lighting option when on the go and everywhere. They are light and fit in any pants pocket.

LED PENLIGHT 140, rechargeable

With 6+1 SMD LEDs, mobile and magnetic pocket clip.

80 - 540 lux (1m)
100 - 140 lumens
IK07
169 x 29 x 21 mm
0.05 kg

Package includes
USB cable

Accessories

230 V charger Art. 32070AL
Car charging adapter 12 / 24 V
Art. 32070DL

Art. 32065

LED penlight

With 6+1 LEDs and pocket clip.

290 lux (1m)
30 lumens
170 x 18 x 33 mm
0.05 kg

Accessories

AAA batteries (3x) Art. 32013

Art. 32058

LED PENLIGHT 140, grey, rechargeable

Available as display set of 12, Art. 32058D



Art. 32058B

LED PENLIGHT 140, blue, rechargeable

Available as display set of 12, Art. 32058BD



Art. 32058D

Display (with 12 pcs of Art. 32058)

LED PENLIGHT 140, grey, rechargeable



Art. 32058BD

Display (with 12 pcs of Art. 32058B)

LED PENLIGHT 140, blue, rechargeable



T-series work lights

The trapezoidal housing of the **T-series** work lights is made of robust and light ABS. The protruding edge protectors made of hard rubber not only protect the edges and corners, but also the front. The milky plastic front produces diffuse and pleasant lighting. The colour temperature of 6000 kelvin simulates daylight, which promotes well-being and concentration. The work lights are dust-tight and protected against splashing water (IP54).



A handle and a stand that pivots by 120° are integrated on the rear. The work light can be mounted on tripods. The integrated power sockets on the rear (only for 32080) fulfil the role of a cable reel: Electrical devices can be connected directly without requiring additional connections.

Art. 32080

LED work light T5000

- 47 watts
- 120 SMD LEDs
- Energy class A++
- 1860 lux (1 m)
- 5000 lumens
- 6000 kelvin
- IP54
- 5 m cable
- 230 V
- 2 "SCHUKO" power sockets (Type F)
- 363 x 278 x 98 mm
- 2.7 kg



Art. 32080F

LED work light T5000

- 2 "SCHUKO" power sockets (Type E)



Art. 32080CH

LED work light T5000

- 2 "SEV" power sockets (Type 13)



Art. 32080C
Art. 32080FC
Art. 32080CHC
LED work light T5000 with extendable telescoping tripod

3-leg metal design for a firm stand
Lamp rotates 360°

Art. 32081

LED work light T2500

24 watts
 64 SMD LEDs
 Energy class A++
 930 lux (1 m)
 2500 lumens
 6000 kelvin
 IP54
 3 m cable
 275 x 215 x 90 mm
 1.1 kg



Art. 32081C

LED work light T2500 with extendable telescoping tripod

3-leg metal design for a firm stand

Lamp rotates 360°

Art. 702.001.000

LED work lamp T1000, rechargeable

Compact, rechargeable SMD-LED work lamp with USB Type-C port.

2.5 - 6 h Operating time
 4 h charging time
 Beam angle of 100°
 210° rotatable
 3.7 V / 4000 mAh Li-Ion battery
 360 lux (1 m)
 1000 lumen
 6000 Kelvin
 IP65
 IK08
 175 x 135 x 45 mm
 0.4 kg



BONNET work lights and the W-series

Work lights for use in engine compartments and interior spaces.



Art. 32073

LED work light BONNET 1200

For engine compartments, interior spaces and underbodies, extendable telescoping hook for clamping range of 1100 to 1700 mm, removable lamp.

12 W SMD LED
Energy rating A++
1200 lumens
IP54
240 V
5 m cable H05RNF 2 x 1.00 mm²
2.13 kg



Art. 32078

LED work light W1000, rechargeable

Compact and powerful work light in the shape of a steering wheel, dimmable brightness levels, strong magnetic base, and pivots by 170°.

4 h running time
4 h charge time
7.4 V/2200 mAh Li-ion battery
10 W COB LED
400 - 1000 lumens
6400 kelvin
IP65
172 x 55 x 150 mm
0.72 kg

Package includes

230 V charger Art. 32070AL
Car charging adapter 12 / 24 V Art. 32070DL

Accessories

Telescoping bar Art. 32078-01
Holder Art. 32078-02



Art. 32078-03

LED work light W1000 with guide rail

Individual positioning of lamp, fixed in place with an adjusting screw on guide rail, extendable telescoping hook for clamping range of 1200 to 1900 mm. With the holder 32078-02, multiple lamps can be affixed to the guide rail.

1.95 kg

Package includes

LED work light Art. 32078
Telescoping bar Art. 32078-01
Holder Art. 32078-02
230 V charger Art. 32070AL
Car charging adapter 12 / 24 V Art. 32070DL

Art. 702.000.000

LED work light FLEXDOT 600, rechargeable

With magnet on rear and integrated hook

- 1.5 - 3 h running time
- 4 h charge time
- Wide 100° angle beam
- Pivots/rotates by 360°
- 3.7 V / 2600 mAh Li-ion battery
- 170/330 Lux (1 m)
- 300/600 Lumen
- 6400 Kelvin
- IP65
- 78 x 76 x 52 mm
- 0.2 kg



Art. 702.000.100

Display (with 9 pcs of Art. 702.000.000) FLEXDOT 600, rechargeable



Safety Lights

Art. 702.000.002

LED warning light set, rechargeable

Warning light, magnetic and with hook in 9 different light patterns

- 9.6 W 16 LED
- IK20 T
- IP67
- Li-Ion 3.7 V 750 mAh
- 2.13 kg



Art. 702.000.001

LED warning light

not rechargeable

- 9.6 W 16 LED
- IK20 T
- IP67
- CR123 3 V 1300mAh
- 108 x 111 x 35 mm
- 284 g



HEXA work lights

HEXA work lights are characterised by their distinctive hexagonal aluminium housing with rubberised edge protectors. They are impact resistant (IK07) and light. The work lights are dust-tight and protected against water jets (IP65), which makes them ideal for indoor and outdoor use. The COB LED technology provides highly focused and homogeneous light with a wide beam angle of 120°. The integrated, flexible base pivots by 180° and can be mounted on tripods.



Art. 32037

LED work light HEXA 2000

20 W
3 illumination levels: 25/50/100%
2.5 - 10 h running time
3.5 h charge time
11.1 V/4400 mAh Li-ion battery
500/1000/2000 lumens
6000 kelvin
IP65
IK07
225 x 220 x 70 mm
1.4 kg

Package includes

230 V charger Art. 32037AL



Downlights

These lights are equipped with magnets and mounting brackets, allowing them to be used flexibly. The two sizes can be connected in series if desired.



Art. 32077-60

LED downlight

120 SMDs
 Energy class A++
 1800 lumens
 20 watts
 120° beam angle
 5000 K
 IP65
 IK08
 590 x 124 x 43 mm
 1.2 kg

Package includes

Connecting cable, 35 cm Art. 32077-CONN
 Power cable 230 V, 5 m Art. 32077-MC



Art. 32077-120

LED downlight

240 SMDs
 Energy class A++
 3600 lumens
 40 watts
 120° beam angle
 5000 K
 IP65
 IK08
 1200 x 124 x 43 mm
 2.3 kg

Package includes

Connecting cable, 35 cm Art. 32077-CONN
 Power cable 230 V, 5 m Art. 32077-MC

Accessories



Art. 32029AL
230 V charger
For 32030



Art. 32054AL
230 V charger
For 32054



Art. 32016AL
230 V charger
For 32016



Art. 32016DL
Car charging adapter 12 / 24 V
For 32016

Art. 32037AL
230 V charger
For 32037

Art. 32039AL
230 V charger
For 32039

Art. 32020DL
Car charging adapter 12 / 24 V
For 32020



Art. 32000DL
Car charging adapter 12 V
for 32055



Art. 32000AL
230 V charger
for 32055

Art. 32070AL
230 V charger
for 32032, 32033, 32038, 32058,
32069, 32070, 32071, 32072,
32075, 32076, 32078, 32085



Art. 32070DL
Car charging adapter 12 V / 24 V
for 32032, 32033, 32038, 32058,
32069, 32070, 32071, 32072,
32075, 32076, 32078, 32085



Art. 32032LS
Charging station
For 32032, 32033



Art. 32077-MC
Power cable 230 V, 5 m
for 32077-60, 32077-120



Art. 32077-CONN
Connecting cable, 35 cm
For 32077-60, 32077-120



Art. 798.000.001
Battery for 701.000.000
3.6 V Li-Ion
2000 mAh



Art. 798.000.002
Charger and charging cable Micro-USB for 701.000.000
Input: 5 Vdc 1A
Output: 4.2 Vdc 2A



Art. 32078-02
Holder
for 32078



Art. 32078-01
Telescoping bar
for 32078



Art. 32025-3
Telescoping tripod
for 32027, 32030, 32037, 32039



KRAFTWERK®

FAVORITE TOOLS SINCE 1979



Your specialist distributor: